



Product Information

- Applications:** Bare Steps (No Carpet)
- Volts:** 12V
- Lamps:** Incandescent or LEDs
- Lamp Life:** See Lamp Specifications
- Socket:** Custom
- Extrusion:** Aluminum Material

Indoor Applications

- Amusement Industries**
Night Clubs, Movie Theatres
- Recreation Industries**
Hotels, Restaurants, Casinos
- Architectural Industries**
Interior Decor, Shopping Centers
- Construction Industries**

Lamp Specifications

Catalog #	Description	Volts	Watts	Lamp Life Hrs.	Max. Lamps Per Run	4" O/C	6" O/C	12" O/C	18" O/C
IN-A	.33 Watt Incandescent	12	.33	80,000	500	166'	250'	500'	750'
IN-B	.86 Watt Incandescent	12	.86	90,000	209	69'	104'	209'	313'
LED-A	LED Amber	12	.20	100,000	1000	333'	500'	500'	500'
LED-BA	LED Bright Amber	12	.45	100,000	260	86'	130'	260'	390'
LED-Y	LED Yellow	12	.20	100,000	1000	333'	500'	500'	500'
LED-BY	LED Bright Yellow	12	.45	100,000	260	86'	130'	260'	390'
LED-R	LED Red	12	.20	100,000	1000	333'	500'	500'	500'
LED-BR	LED Bright Red	12	.45	100,000	260	86'	130'	260'	390'
LED-G	LED Green	12	.20	100,000	1000	333'	500'	500'	500'
LED-BG	LED Bright Green	12	.45	100,000	260	86'	130'	260'	390'

Specifier: _____

Product Code: Series / SLT/Lens /Spacing/Lamp
 STL6500/ *SLT/ **C / / /

Project: _____

Type: _____

Date: _____

* Note: SLT stands for single light on top.
 **Note: C stands for Clear Lens

Application and Construction

Designed to utilize Light Emitting Diodes (LEDs) or incandescent lamps, StepLite 6500 provides many desirable features. Of primary importance the long life of the LEDs makes it an excellent product to reduce maintenance in the future. LEDs also consume 1/3 less wattage than incandescent bulbs.

StepLite 6500 has a only a top light to illuminate the edge when you are walking down the steps. This is great in instances that does not require a down light.

StepLite is excellent to illuminate steps and pathways in movie theatres, school auditoriums, or any area that requires a step light. Suggested spacing is 8" on center and yellow LEDs.

Electrical

StepLite is supplied with a 120V (primary side)/12V (secondary side) transformer. Specify other primary side voltage if different than 120V. StepLite runs at 12V. Terminal Breaker Box is used for secondary protection.

Material: Aluminum material for Bare Steps. Steps with no carpet.